6-17

ಹೆಚ್ಚುವರಿ ಕೆಲಸ

2/12/2016 ರಂದು

51801 ರಿಂದ 351900 ರವರೆಗೆ

ಇದೆ.

Executive Engineer
Byatarayanapura Division
BBMP, Bangalore-92

2/12

2/12/16

I st And Final Bill

Work Code - 006-15-000030

Est cost Rs - 30.00 Lacs

M. A. R. 57 (Rule 116)

Measurement Book

No. B 351801

Serial No. .....

Name of Work Improvements to Roads And Drains At Cauvery From in Ward no. To 06 Byatarayanapura

Name of Contractor of nature of Agency Sas division.

Date of commencement of work ..... BR: 936 31-03-17

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Work order No. - BBMP/EE/BTP/WO/28/2016-17 Dt. - 05.05.2016						
	Name of Contractor - Y.R. Sridhar Yalahanka. Bangalore. 64						
(1)	Earthwork Excavation for Foundation & buildings Culverts Water Supply Sanitary line and electrical Conduits either in Pits or in trenches 1.00 MM and above in width in hard						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Soil not exceeding 1.50 mtr depth including shoring the bottom and sides & pits and trenches stacking the excavated soil clear from edges & excavation with cut-off to 30 mtr after shaking & clods Compose as per specification.						
	As per Pre-measurement recorded vide Page no.. 351852 to 351853						
						246.67 M³	
	Rate- 250:00						61667:50

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	
(2)	Providing and lace... & mix M 1:4:8 ... down size graded ... cum and fine aggre... laid in layers not ex... in foundation and P... Hom & machinery Cu... As per Pre-M... Page no.. 351...	

	Contents 7	Reference to last Measurement 8
...th 6	...ing including Shuttering ...ening Spacing the ...excavation with lead upto ...lace as per Specification recorded vide ...53 in this MB. 246.67 M³	61667 : 50

. R. 57 (Rule 116)
...asurement Book

No. B 351802

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(2)	Providing and laying in Position Plain Cement Concrete 1:4:8 with OPC Cement as per IS 456 with Normal down size Graded Granite metal Coarse aggregate of 0.892 cum and fine aggregate 0.57 cum machine mixed Concrete laid in layers not exceeding 15 cms thick well Compacted in foundation and Plinth including Cost of all materials Labour Tools & machinery Curing Complete as per Specification. As Per Pre-measurement recorded vide Page No. 351854 to 351855					in this MB.	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						47.81 3 M	
	Rate 5000:00						239050:00
(3)	Providing and constructing Granite/Basalt stone Masonry in foundation with cement mortar 1:6 Stone hammered dressed in courses not less than 20cms high bed stones of 2.0 M or above in each course including cost & materials Carbon curing Compressor as per specification and direction of the Engineer in charge of the work Complete.						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	As per Page No.	Pa
	Rate. 4000:00	
(4)	Providing and Cons Stone Masonry in cases & Stones cu	

OOK

Depth 6	Contents 7	Reference to last Measurement 8
	47.81 M 3	
		239050.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	15 cms high bond stones at 2.0 mtr apart in each course including cost of materials labour curing Complete as per Specification.						
	Cuverts						
	①	2	6.30	0.50	0.55	3.46	
	②	2	5.05	0.50	0.55	2.77	
						6.23 M³	
		Limited to		-		5.85 M³	
	Rate. 4900:00						28665:00

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	3
⑤	Providing and fixing Propping etc. and Sorting & Scaring -ming and cribes not Cost & all materials etc. Complete. As per Pre-mea Page no. 35/18 Rate. 250:00	

OOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
-0	MW	aPorts in each	
ng	Lasow Curing Compress		
50	0.55	3.46	
50	0.55	2.77	
		6.23 M³	
to	-	5.85 M³	
			28665:00

. A. R. 57 (Rule 116)
Measurement Book

No. B 351804

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(5)	Providing and removing centering Shuttering Struting Propping etc. and removal of form work for sides and Soffits of beams beam haunchings Cantilever girders & lintels. -work and arches not exceeding 1-0 MW in depth including Cost of all materials Laser Compose as per Specification etc.. Compose. As per Pre-measurment recorded vide Page No. 351856 to 351858 Rate. 250:00					in Plig MB. 797.70 M²	199425:00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(6)	Providing and laying in position Plain cement Concrete 1:3:6 with OPC Cement @ 220 kgs with Nominal down size graded granite metal Coarse aggregate 40.0mm and fine aggregate @ 0.56 cum mechine mixed Concrete in Layers not exceeding 15cms thick well Compacted including and finish including Curing Concrete as per Specification. As per Pre-measurement recorded vide Page No. 351858 to 351859 Rate - 2400.00					in this MB. 2.08 M³ 4992.00	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
(7)	Providing Flush Po with Cement mortar to depth & 20mm thic Laser Curing Compl As per Pre. Me Page No. 351 Rate - 90.00	

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth 5	Depth 6	7	8
sion Plain cement Concrete				
ent of 220 kgs with Denmark				
mesal Course aggregate 20.8mm				
rum machine mixed Concrete				
ing device well contained including				
all necessary labour necessary				
ication.				
ent recorded vide				
351859			in This MB.	
			2.08 M³	
				4992.00

A. R. 57 (Rule 116)
Measurement Book

No. B 351805

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(7)	Providing Flush Pointing to Coursed Stone Masonry with Cement mortar 1:3 20mm deep, after raking joints to depth of 20mm nicely curing including Cost of necessary Labour Curing complete as per Specification.						
	As per Pre. Measurement recorded vide Page No. 351859	351859	to	351859		in This MB. 13.00 M²	1170.00
	Rate. 90.00						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(8)	Providing and laying in position Plain cement Concrete 1:3 Mix M20 with OPC cement @ 320 kg with 20 mm and down size graded granite metal Coarse aggregate and fine aggregate @ 0.45 cum with Super Plasticizer @ 3 lts. Conforming to IS 9103 - 1999 Required machine mixed Excluding 15 cms thick in Plinth and ground floor and Vibrated for all Columns in Ground floor Casting Roof Slab & Staircase Plastering Columns beams Lintels retaining walls return walls including offset Piers abutments Piers Parapets Coping Sunshades Grills and over Sailing Plain windows Canopy Complete.						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	RCC Drain Shive Temple opposite (Right side) Left side Cross Road.	

Depth 6	Contents 7	Reference to last Measurement 8
	Plain cement Concrete	
	of 1:3:6 with 20 mm and down	
	coarse aggregate @ 80.878	
	with Super Plasticizing	
	Reinforced Machine mix	
	and all works in Sump	
	Floors Slabs Staircase	
	works including passage	
	ems Piering Possession	
	gs Parapets Coping Sek	
	gs Curing Complete.	

A. R. 57 (Rule 116)
Measurement Book

No. B 351806

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Rcc Drain						
	Shive Temple opposite (Right side)	1	30.00	0.90	0.10	2.70	
		1	30.00	0.90	0.10	2.70	
		1	5.00	0.90	0.10	0.45	
	Left side	1	30.00	0.90	0.10	2.70	
		1	30.00	0.90	0.10	2.70	
	Cross Road.	1	30.00	0.90	0.10	2.70	
		1	9.20	0.90	0.10	0.82	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd cross -	1	42.90	0.90	0.10	3.86	
	BBMP office opposite Road. Cross.(A)	1	30.00	0.90	0.10	2.70	
		1	30.00	0.90	0.10	2.70	
	C&FC 31/12	1	8.70	0.90	0.10	0.78	
	Cross(B) M.B.(M.B)	1	30.00	0.90	0.10	2.70	
		1	30.00	0.90	0.10	2.70	
		1	12.70	0.90	0.10	1.14	
	Side walls. Shive Temple opposite (Right side)	2	30.00	0.15	0.60	5.40	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	Left side -	
	C&FC 31/12	
	Cross Road M.B.(M.	
	2nd cross -	

OOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
90	0·10	3·86	
90	0·10	2·70	
90	0·10	2·70	
90	0·10	0·78	
90	0·10	2·70	
90	0·10	2·70	
90	0·10	1·44	
·15	0·60	5·40	

A. R. 57 (Rule 116)
Measurement Book

No. B

351807

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		2	30·00	0·15	0·60	5·40	
		2	5·00	0·15	0·60	0·90	
	Left side	2	30·00	0·15	0·60	5·40	
		2	30·00	0·15	0·60	5·40	
	Cross Road	2	30·00	0·15	0·60	5·40	
		2	9·20	0·15	0·60	1·65	
	2nd cross	2	30·00	0·15	0·60	5·40	
		2	12·90	0·15	0·60	2·32	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	BBMP office opposite Road Cross (A)	2	30.00	0.45	0.60	5.40	
		2	30.00	0.45	0.60	5.40	
		2	8.70	0.45	0.60	1.56	
	Cross (B)	2	30.00	0.45	0.60	5.40	
		2	30.00	0.45	0.60	5.40	
		2	12.70	0.45	0.60	2.28	
	Culverts. (1)	1	6.30	1.80	0.20	2.26	
	(2)	1	5.05	1.80	0.20	1.81	
						98.13 M³	
	Page - 6100:00	Limited to Tender Qty				95.47 M³	582367.00

Serial No. .....
Name of Work ..... From.
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
(9)	Providing TMT Steel Straightening Cutting & Capping and or welding wire and anchoring to n necessary Complete as pe Shall not be measured	
	As per the. me	
	Page. 68000.00 Page no.	35186

OK

Depth 6	Contents 7	Reference to last Measurement 8
0.60	5.40	
0.60	5.40	
0.60	1.56	
0.60	5.40	
0.60	5.40	
0.60	2.28	
0.20	2.76	
0.20	1.84	
	98.13 M³	
Dry	95.47 M³	582367.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 351808

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(9)	Providing TMT Steel Reinforcement for RCC Work including Straightening Cutting Bending Hooking Placing in Position Capping and or welding wherever required Tying with binding Wire and anchoring to the adjoining members wherever necessary Complete as per design (Laps hooks and wastage etc. Complete. Shall not be measured and paid) and Presentage etc. Complete. As per Pre-measurment recorded vide Page. 68000.00 Page No.	351860 to 351863				6.21 TON in this MB.	422280.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(10)	Providing laying spreading and compacting graded stone aggregate to WBM Nine Meadam specification including premixing the material with water at OMC in Mechanical Mix Plant Conveyor & mixed material & tipper to site laying in uniform layers with Paver in one base course on well prepared surface and consolidating with vibratory roller to achieve the desired density complete as per specification. As per Pre-measurement recorded vide Page No. 351863 to 351865 Rate 1550.00					243.00 M³ in Plus MB.	376650.00

Serial No. .....

Name of Work ..... From

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
(11)	Providing and app... and 9.8 to 12.2 kg per ... Paraffin respectively ... base WBM cut back ... diesel at 10 kg per ... WBM spray set Excluding ... Cover all measurements ... as per specification ...	

BOOK

ons		Contents	Reference to last Measurement
readth 5	Depth 6	7	8
		and Compacting Graded	
		Macadam Specification	
		sential Work water as	
		t Compress & mixed using	
		form Layers with Paver in	
		ened Surface and Conducting	
		due Density Compaction	
		ent recorded vide	
351	865	Cis Plus MB.	
		243.00 M³	376650.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 351809

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(11)	Providing and applying Primer coat @ from 7.5 to 9.8 kg and 9.8 to 12.2 kg per 10 Sqm or to Surfaces & to low and medium Porosity respectively over Prepared Surface & Granular base WBM cut back to MC-70 or any other bitumen mixed with diesel @ 10 kg per 10 Sqm heated in bitumen boiler and (road Surface) including Cleaning and Drying all necessary Labour, tools & machineries complete as per Specification etc. complete as per specification.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	As per Pre. Measurement recorded vide Page No. 351865 to 351867 in this MB.						
	Rate. 70:10					1215.00 m^2	85050=00
(12)	Providing and laying semi dense bituminous Concrete 25 mm size with 100-120 TPH batch type HMP Producing an average out put of 75 tonnes per hour including Supply crushed aggregate of specified grading Pre mixed with bitumen of Grade as 4-5 to 5% & mix and laying transporting						

M. A. R
Meas

Serial No. .....
Name of Work ..... From....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
	hot mix to work Paver finisher work seg Level and alignment a and tandem rover to ac in all respects es. Comp Shiva Temple opposite Road.	

T BOOK

sions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
ment recorded vide			
351	867	in this MB.	
		1215.00 m^2	
			850 50 :00
dense bituminous Concrete			
TPH batch type HMP Producing			
nnes per hour drum type Crusher			
ip Re mixed with Screening			
nix and Fines thoroughly			

M. A. R. 57 (Rule 116)
Measurement Book

No. B 351810

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Dense bituminous Concrete using 60 TPH batch type HMP Producing Fines per hour drum type Crusher Re mixed with Screening Fines and Freer thoroughly using Power finisher with sensor control and alignment steering with tandem roller to achieve the desired Compaction Compose in all respects ex. Compose as per Specification.						
	Shiva Temple opposite Road.	1	5.15	$\frac{(6.40+5.45)}{2}$	x 0.025	0.76	
		1	30.100	$\frac{(4.70+4.88)}{2}$	x 0.025	3.56	

ಕ.ಆ.(೨೨೨.೨)

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(4.80 + 5.40) / 2	x 0.025	3.82	
		1	5.00	5.40	0.025	0.67	
	2nd Cross -	1	2.60	(6.30 + 5.90) / 2	x 0.025	0.39	
	C/F-C	1	30.00	(3.80 + 4.40) / 2	x 0.025	3.07	
	ಸ.ಆ.(ಪಂ.ಎ)	1	12.90	(4.40 + 5.10) / 2	x 0.025	1.53	
	Cross Road -	1	30.00	(4.70 + 5.10) / 2	x 0.025	3.67	
		1	6.10	(5.10 + 5.20) / 2	x 0.025	0.78	

M. A. R. 57
Measurem

Serial No. .....
Name of Work ..... From.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number	Leng
1	2	3	4
	Cross Road -	1	6.
		1	30
		1	30
		1	1-
		1	30
	Rate. 9100 : 10		

BOOK

ons		Contents	Reference to last Measurement
eadth 5	Depth 6	7	8
·80 + 5·40)		3·82	
2	x 0·025		
5·40	0·025	0·67	
·30 + 5·90)			
2	x 0·025	0·39	
·80 + 4·40)			
2	x 0·025	3·07	
·40 + 5·10)			
2	x 0·025	1·53	
·70 + 5·10)			
2	x 0·025	3·67	
·10 + 5·20)			
2	x 0·025	0·78	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 351811

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Cross Road	1	6·00	(6·20 + 6·10) / 2	x 0·025	0·92	
		1	30·00	(5·0 + 4·60) / 2	x 0·025	3·60	
		1	30·00	(4·60 + 5·0) / 2	x 0·025	3·60	
		1	1·25	5·10	0·025	0·15	
		1	30·00	(5·0 + 5·10) / 2	x 0·025	3·78	
	Rate. 9100 + 10					30·38 M	276458 : 00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(13)	Precast Slab 20 mm and down size Saucer Slab (including Steel reinforcement) including centering and shuttering machine mixed Concrete laid in layers not exceeding 15 cms thick well compacted Curing & all necessary Labour Tools & machineries Curing Complete as per specification CC 1:1.5:3 including all cost & material etc complete as per Specification.						
	Shiva Temple opposite Road. R. side	1	30.00	0.75	-	22.50	
		1	30.00	0.75	-	22.50	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	L. Side -
	Cross -
	2nd Cross -

T BOOK

nsions			Contents	Reference to last Measurement
Breadth 5	Depth 6		7	8
oron Size Sen Slab (including				
ding centering and shuttering				
id in Laying not exceeding				
Cum & all necessary Labour				
plete as per Specification				
rs & necessial abt. complete				
0.75	-		22.50	
0.75	-		22.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 351812

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		1	5.00	0.75	-	3.75	
	L-Side -	1	30.00	0.75	-	22.50	
		1	11.65	0.75	-	8.73	
	Cross -	1	30.00	0.75	-	22.50	
		1	9.20	0.75	-	6.90	
	2nd cross -	1	30.00	0.75	-	22.50	
		1	8.30	0.75	-	6.22	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	BBMP office opposite Road.	1	30.00	0.75	-	22.50	
		1	30.00	0.75	-	22.50	
		1	2.20	0.75	-	1.65	
	Cross Road -	82	0.60	0.75	-	27.90	
		65	0.60	0.75	-	29.25	
		116	0.60	0.75	-	52.20	
						293.40 m^2	
	Rate - 1500:00						440100:00

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

Date	Full description, etc, of work
1	2
14)	Lead for Disposal by mechanical m 2.00 to m etc... Com
	CFC Quantity by 20.2 Rate 50.83 31/3/24
	21/3/24

MENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
0.00	0.75	-	22.50	
30.00	0.75	-	22.50	
2.20	0.75	-	1.65	
0.60	0.75	-	27.90	
0.60	0.75	-	29.25	
0.60	0.75	-	52.20	
			293.40 m^2	440100.00

. A. R. 57 (Rule 116)
Measurement Book

No. B 351813

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
14)	Lead for Disposal of Debris shall be payable as Carriage Rates by mechanical means including loading and unloading from 0.00 to 2.00 km etc... complete. CFC W.O. Page 50.33 Quantity vide Item no. (1) 31/3/20					246.67 m^3	12538.23
					Total Rs.		2759000.00 27.59.195 -
	I) Certified that the work done satisfactory This bill Amount has not been claimed in any of previous bill. 21/3/20						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

INDEX

RCC Drain

ASPhalt work

Culverts

Culvery Layout

Culvert 1

Culvert 2

Nagawara

JNRL

Shiva Temple

ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರ ಕಛೇರಿ

ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	3

Nagawara

BBMP office

OOK

Depth 6	Contents 7	Reference to last Measurement 8



M. A. R. 57 (Rule 116)
Measurement Book

No. B 351814

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8



ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

BR/936/31.3.17.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						Total Rs 27.59.195-00	
						GT - 27592-0	
						VAT - 110368-0	
						Cess - 27592-0	
						CBF - 2759-0	
						LR - 3829-4	
						Add. 21940-0	
						Charges 25.47.255-0	

ಮಾಪ ಮೊತ್ತ ರೂ 27.59.195-4

ಗಳಿಕೆ ಮಾಪ ಮೊತ್ತ : ಅಡಕ್ಕೆ ರೂ 21940-0

ಮಾಡಿದ ಮಾಪಕ್ಕಿಂತ ಬಾಕಿ ಮೊತ್ತ 25,47,255-4

Rs: Twenty five Lakhs forty Seven thousand two hundred fifty five only

ಸಹಿ/-

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು

ಸಹಾಯಕ ಅಭಿಯಂತರರ ಶ್ರೇಣಿ

ಸಹಾಯಕ ಅಭಿಯಂತರರ ಶ್ರೇಣಿ

16/2014

Serial No. .....

Name of Work .....

Name of Contractor of nature of

Date of commencement of work .....

Date	Full description, etc, of work
1	2